

APRONECS LTD.;5300 Gabrovo; 87 Treti mart blvd, www.apronecs.bg

☎(066) 819 300; 📠(066) 819 302; office@apronecs.bg

ULTRASONIC CLEANERS
for services and semi-industrial cleaning of
details



Industrial electronics

TYPE	DESCRIPTION	Capacity	Power	Frequency	Container dimensions (L x W x H) mm	Overall dimensions (L x W x H) mm	Price EUR
SCT 0,8/50	Ultrasonic cleaner with timer	0,8 liters	50 W	40 kHz	130x70x100	180x130x200	€ 168,71
SCT 1/50	Ultrasonic cleaner with timer	1 liter	50 W	40 kHz	220x120x50	270x190x190	€ 236,22
SCT 1,5/50	Ultrasonic cleaner with timer	1,5 liter	50 W	40 kHz	120x110x150	180x180x280	€ 260,76
SCT 2/100	Ultrasonic cleaner with timer	2 liters	100W	40 kHz	220x120x100	270x190x220	€ 291,44
SCT 2/100 inj	Ultrasonic cleaner with timer for injection nozzles and carburetors	2 liters	100W	40 kHz	220x120x100	270x190x220	€ 362,00
SCTN 3/100	Ultrasonic cleaner with timer and heater – welded 2mm container	3 liters	100W	40 kHz	200x200x100	250x250x270	€ 397,58
SCTN 3/100 inj	Ultrasonic cleaner with timer and heater for injection nozzles and carburetors – welded 2mm container	3 liters	100W	40 kHz	200x200x100	250x250x270	€ 471,21
SCT 4/100	Ultrasonic cleaner with timer - welded 2mm container	4 liters	100W	28 kHz	200x100x200	250x170x420	€ 360,77
SCTN 4/100	Ultrasonic cleaner with timer and heater – welded 2mm container	4 liters	100W	28 kHz	200x100x200	250x170x420	€ 452,80
SCTN 5/150	Ultrasonic cleaner with timer and heater – welded 2mm container	5 liters	150W	40 kHz	245x200x130	310x260x285	€ 644,23
SCTN 5/150 inj	Ultrasonic cleaner with timer and heater for injection nozzles and carburetors – welded 2mm container	5 liters	150W	40 kHz	245x200x130	310x260x285	€ 717,85
SCT 8/250	Ultrasonic cleaner with timer - welded 2mm container	8 liters	250W	40 kHz	400x150x100	450x260x370	€ 901,92
SCTN 8/250	Ultrasonic cleaner with timer and heater – welded 2mm container	8 liters	250W	40 kHz	400x150x100	450x260x370	€ 993,95
SCT 12/300	Ultrasonic cleaner with timer - welded 2mm container	12 liters	300W	28 kHz	320x300x150	370x380x370	€ 1 224,00
SCTN 12/300	Ultrasonic cleaner with timer and heater – welded 2mm container	12 liters	300W	28 kHz	320x300x150	370x380x370	€ 1 316,07
SCT 14/200	Ultrasonic cleaner with timer - welded 2mm container	14 liters	200 W	28 kHz	300x200x280	360x300x410	€ 1 417,30
SCTN 14/200	Ultrasonic cleaner with timer and heater – welded 2mm container	14 liters	200 W	28 kHz	300x200x280	360x300x410	€ 1 540,00
SCT 15/300	Ultrasonic cleaner with timer - welded 2mm container	15 liters	300W	28 kHz	250x250x300	300 x 330 x 430	€ 1 503,20

SCTN 15/300	Ultrasonic cleaner with timer and heater – welded 2mm container	15 liters	300W	28 kHz	250x250x300	300 x 330 x 430	€ 1 625,90
SCT 25/300	Ultrasonic cleaner with timer - welded 2mm container	25 liters	300W	28 kHz	350x350x220	430x430x460	€ 1 632,00
SCTN 25/300	Ultrasonic cleaner with timer and heater – welded 2mm container	25 liters	300W	28 kHz	350x350x220	430x430x460	€ 1 754,75
SCT 36/300	Ultrasonic cleaner with timer - welded 2mm container	36 liters	300W	28 kHz	350x350x320	500x480x650	€ 1 849,85
SCTN 36/300	Ultrasonic cleaner with timer and heater – welded 2mm container	36 liters	300W	28 kHz	350x350x320	500x480x650	€ 1 972,56
SCT 62/600	Ultrasonic cleaner with timer - welded 2mm container	62 liters	600W	28 kHz	500x500x250	600x620x500	€ 2 840,74
SCTN 62/600	Ultrasonic cleaner with timer and heater – welded 2mm container	62 liters	600W	28 kHz	500x500x250	600x620x500	€ 2 963,45
Pad for standard plastic cups for cleaner types with effective volume up to 2 liters							€ 3,70
Immersible basket for cleaner types with effective volume up to 2 liters							€ 15,95

Note: The effective height of the container is approx. 20mm less than the actual height specified in container dimensions column.

Note: All models with capacity above 2 liters are equipped with a basket.

All prices are ExWorks and include VAT. Valid from 30.06.2017.

The producer reserves the right to make changes without prior notice.



TYPE	Capacity	Power	Frequency	Container dimensions (L x W x H) mm	Overall dimensions
SCT 0,8/50	0,8 liters	50 W	40 kHz	130x70x100	(L x W x H) mm
SCT 1/50	1 liter	50 W	40 kHz	220x120x50	270x190x190
SCT 1,5/50	1,5 liter	50 W	40 kHz	120x110x150	180x180x280
SCT 2/100	2 liters	100W	40 kHz	220x120x100	270x190x220
SCT 4/100	4 liters	100W	28 kHz	200x100x200	250x170x420
SCT 8/250	8 liters	250W	40 kHz	400x150x100	450x260x370
SCT 12/300	12 liters	300W	28 kHz	320x300x150	370x380x370
SCT 14/200	14 liters	200 W	28 kHz	300x200x280	360x300x410
SCT 15/300	15 liters	300W	28 kHz	250x250x300	300 x 330 x 430
SCT 25/300	25 liters	300W	28 kHz	350x350x220	430x430x460
SCT 36/300	36 liters	300W	28 kHz	350x350x320	500x480x650
SCT 62/600	62 liters	600W	28 kHz	500x500x250	600x620x500

TYPE	Capacity	Power	Frequency	Container dimensions (L x W x H) mm	Overall dimensions
SCTN 3/100	3 liters	100W	40 kHz	200x200x100	250x250x270
SCTN 4/100	4 liters	100W	28 kHz	200x100x200	250x170x420
SCTN 5/150	5 liters	150W	40 kHz	245x200x130	310x260x285
SCTN 8/250	8 liters	250W	40 kHz	400x150x100	450x260x370
SCTN 12/300	12 liters	300W	28 kHz	320x300x150	370x380x370
SCTN 14/200	14 liters	200 W	28 kHz	300x200x280	360x300x410
SCTN 15/300	15 liters	300W	28 kHz	250x250x300	300 x 330 x 430
SCTN 25/300	25 liters	300W	28 kHz	350x350x220	430x430x460
SCTN 36/300	36 liters	300W	28 kHz	350x350x320	500x480x650
SCTN 62/600	62 liters	600W	28 kHz	500x500x250	600x620x500

TYPE	Capacity	Power	Frequency	Container dimensions (L x W x H) mm	Overall dimensions
SCT 2/100 inj	2 liters	100W	40 kHz	220x120x100	270x190x220
SCTN 3/100 inj	3 liters	100W	40 kHz	200x200x100	250x250x270
SCTN 5/150 inj	5 liters	150W	40 kHz	245x200x130	310x260x285